



# auSTYLE architectural hardware

The austyle philosophy demonstrates how good ideas become reality.

Every austyle product is designed and manufactured with an emphasis on quality raw materials, practical functionality and unique designs.

Whether the product is 304, 316 stainless steel or solid virgin brass, strength in foundation through the use of high grade raw materials ensures austyle products can withstand the tolerances required in all commercial or domestic, internal or external applications.

auSTYLE Architectural Hardware and Builders Choice Hardware are brands of Superior Brass. Established in 1982 and starting with a traditional range of 10 lever handles, the range now extends to over 3000 products across multiple brands and multiple market segments.

Austyle products are manufactured to exceed ISO9000 international quality standards and are mechanically and practically functional as well as simple and easy to install.

Our in house design team develops products that reflect current market styles and trends and many of our unique designs have design registrations and mechanical patents to protect their individuality.

Welcome to the austyle range of quality architectural hardware and a new approach in design innovation.

### opening doors in auSTYLE

Head Office / Showroom 137-145 Chesterville Rd. Moorabbin, Victoria 3189, Australia

Postal

P.O.Box 623 Moorabbin, Victoria 3189, Australia




# myL**0**CK

# Practical & Multi-Functional Living.

Integrated Latch, Privacy & Dead Bolt

Now available in both 30mm and 60mm backsets









MODERN COMMERCIAL austyle.com.au



TRADITIONAL & CLASSIC superiorbrass.com.au

# Contents - Selecting the Right Hardware

Door Handles	18	Escutcheon Covers	74
316 Stainless Steel Passage/Privacy sets	20-21	Bathroom Locking Options Sliding & Hinges	
DDA Compliant Commercial Lever Sets	23	Doors	75-76
Long Plate Entrance Sets 228mm 316 Stainless Steel - Fire Rated	24-29	Flush Pull Handles Sliding Door Flush Pulls	<b>78</b>
Long Plate Entrance Sets 225mm		Integrated Entrance Door Flush Pull	81
Builders Choice Range	30-31	Sliding Door Edge Pulls	81
Long Plate Entrance Sets 200mm	32		0.0
Project Series Key-in-lever sets	34	Kitchen/Cupboard Handles	82
Feature Entry Pull Handles	36	Drawer Pull Handles Knobs Pulls	84-85 86-87
Timber Options	38-39	KHODS Fulls	00-07
Designer Series	40-43	Hinges	88
Integrated Flush/Pull Handle	44	Commercial Fire Rated Butt Hinges	90
Aluminium Series	45	Square Knuckle Butt Hinges	90
Glass	46	Broad Butt Hinges	91
Round	51	Ball Bearing Hinges	91
Offsets	58	Fast Fix Hirline Ball Bearing Hinges	92
Square	61	Long Body Heavy Duty Hinges	92
Accessories	61	Radius Hinges	92
Security	62	Bathroom Door - Lift Off Hinges	93
Residential myLOCK Integrated Keyless Snibbing Latch & Roller	64-65	Bathroom Door - Self Closing Hinges  Door Bolts	93 <b>94</b>
Residential Quad Lock – Multi Function		PanicBolts(IncludingKeepers&Accessories)	
Entrance Lock	66	Barrel Bolts	97
Narrow Back-set Locks (Aluminium)	69	Flush Bolts	97
Roller Locks	70		
Self-Latching Security	70	Door Stops	98
Cavity/Sliding Door Locks	71	Wall / Floor Mount	100
Dead Bolt	71	Heavy Duty Door Catches	101
Security Cylinders	72	Magnetic Door Catches	101
Bathroom Privacy Adaptors	72	Alphabet & Numerals	102
Passage Latches	73	House Numerals	102
Roller & Ball Catches	73	Alphabet	105
Magnetic Door Catch	73	Bathroom Signs	105

# **Family Ranging**

Satin Brass Finish	8-9
	0-9
Matt Black Finish	10-11
Satin Stainless Steel Finish	12-13
White & Monument Finishes	14-15
Security Family - Timber Doors	16
Security Family - Aluminium Doors	17









P.78




P.36











# **Product Numbers**

PREFIX = FINISH

The prefix digit represent the finish color - see below

BASE PRODUCT NUMBER

The LAST four digits represent the base item number.



# **Finishes**

РВ	[none]	Polished Brass [4 digit product number]
PVD	1	PVD Brass Finish - 50 year Anti-Tarnish Warranty
ATQ	2	Antique Finish with Copper Highlight
CP/ PSS	3	Chrome Plate or Polished Stainless Steel Finish
SC/ SSS	4	Satin Chrome or Satin Stainless Steel Finish
МВ	5	Matt Black
COP	6	Polished Copper Finish
ATQ BNZ	7	Antique Bronze
WH	8WH	White
<u>M0</u>	8M0	Monument
SB	9	Satin Brass
•		Plated To Order

# Key Hole Punching Legend



### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?



EURO CYLINDER EURO CYLINDER 85mm C/C

XXXX**E** 

47.6mm C/C

**A**XXXX

PRIVACY 57mm C/C XXXX**P** 

SKELETON KEY 57mm C/C xxxx**K** 









# Icon References



The Ball Bearing is the invisible hero of a friction free operation. The Stainless Steel ball bearing promotes smooth mechanical operation, durability and longevity. The Ball Bearing accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.). There are no assembled plastics or nylons in the austyle lever mechanisms.



Quality is never an accident, it is the result of intention, innovation and skillful execution. When the base materials used in manufacturing are of a high standard, the end product lends itself to comprehensive long term mechanicalconfidence.Our products will simply work and accompany a 7 year residential warranty.



Many items in our range are manufactured using 304 or 316 stainless steel where commonly these types of products are usually manufactured by our competitors in zinc or steel. Stainless Steel offerssignificantlysuperior durability and reliability whether used as the base material of the product structure or within its mechanism.



The PVD Brass Finish offers a traditional appearance with a 50 Year Anti-Tarnish warranty against, pitting, discolouring and corrosion. If your project/ client has a traditional brief/style with all the benefits of modern durable mechanical operation, this is the product for you. (www.superiorbrass.com)



Many austyle locks have been fire tested in Australia and have passed either 2 and 4 hours in simulated fire conditions. The rating refers to the fire test only. Installers and specifiers should verify and ensure the appropriate lock meets the appropriate operational building code or fire door requirement.



The austyle ball bearing mechanism, myLOCK and Quadlocks are patented which protects its exclusivity, individuality and uniqueness. Choosing an austyle patented product ensures you're purchasing a product designed in Australia for the Australian market.





All austyle lever handles and heavy duty passage latches have accompanying long term mechanical warranties. After correct installation, you can relax with long term confidence that our product will simply continue to operate as it did on day one.



Austyle passage sets have a unique tamper proof mechanism. When installed correctly, the external lever will not have a visible screw head under the concealing ring. This prevents the handle being tampered with and removed from the external side to gain internal access.

# Satin Brass Finish

SB









# Cavity Sliding Door Passage 93757

Privacy 93758 Entrance 93789





**Cabinet Pull Handle** 98702 12 x 12mm x 236mm

#### **Sliding Door Sliding Door** Edge Pull Flush Pull 94455 - 80x25mm. Flush Pull 150x50mm.



Bathroom Doors Recessed bathroom privacy snibs 40mm diam



(use with 19033 latch)



100x100x2.5mm


Fixed Pin



### Fast Fix Hinges 95245SB 100x47x2.5mm













### Circular **Pull Handle**

Concealed Fix Includes 80mm Fixing Bolts 300mm Diam

53994 мв 93994 SB





Half Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts

**300**mm diam. **500**mm diam. (Pictured)

53993 53992 MB 93993 93992





MB SB

53991 93991



# Matt Black Finish

MB

# **Entrance Family**





Front Doors
Roller Entrance Locks / Pull Handles










# **Internal Family**





# Satin Stainless Steel Finish

SSS

# **Entrance Family**







# austyle architectural hardware

# Internal Family



# White Family

83830 Offset Entry

Pull Handle

600mm

83724 Rectangle Escutcheon

> 83749 Flush Pull

> > Entry Pull

Handle

600mm 83736 myLOCK Escutcheon Snib

89144 65mm Cylinder

WH



# Monument Family



M0 Plated To Order











# **Security Family - Timber doors**













myLOCK Entrance Roller

### myL**0**CK

Integrated Roller Privacy & Dead bolt functionality Front Adjustable Roller Tension

60mm Backset / 83mm Overall

69217

See Page 64/65 for all Features & benefits

Rebate Kit Available x9220



#### myLOCK Entrance

### myL**O**CK

Integrated Roller Privacy & Dead bolt functionality 85mm C/C / 36mm Privacy C/C

60mm Backset / 83mm Overall

19219 29219 ATQ 39219 PSS 49219 sss 59219 mB

See Page 64/65 for all Features & benefits

Rebate Kit Available x9220



#### Dead Latch Escape

**Emergency Escape Function** 

Dead Latching Trigger

Ideal for All Fire Doors

60mm Backset / 83mm Overall





### Multi-Function Entrance Lock

## **OuadLock**

4 Modes Of Operation **Emergency Escape Option** Dead Latching Mode Option Dead Bolt Mode Option Latching Mode Option

Ideal for All Escape / Fire Doors 60mm Backset / 83mm Overall

19300 29300 39300 PSS 49300 SSS

59300 <u>мв</u>

0

See Page 66/67 for all Features & benefits

Rebate Kit Available x9304







### Entrance Sliding Door

**Elongated Striker Plate Holes** Allows For Movement Of The

2 Locating Pins Guide The Door Into correct Position When Closing

45mm Backset / 62mm Overall

9086 29086 ATQ 39086 PSS

49086 sss 59086 <u>мв</u>



### **Entrance Lock** function

with full escape

Entrance Lock without escape function



Function

Fire Door Exit Compliance



Latching Function



# Security Family - Aluminium doors



STAINLESS STEEL











KEYLESS SNIB LOCK CAM OPERATION









#### myLOCK Entrance Roller

### myL**0**CK

Integrated Roller Privacy & Dead bolt functionality Front Adjustable Roller Tension 30mm Backset / 47mm Overall

59214 MB

49214 See Page 64/65 for all Features & benefits

Rebate Kit Available x9220



### Multi-Function Entrance Lock

## QuadLock

Multi Function entrance Lock

4 Modes Of Operation

30mm Backset / 47mm Overall

49311 SSS See Page 66/67 59311 MB for all Features & benefits









## myLOCK Entrance Sliding

### myL**0**CK

Integrated Sliding Door Privacy & Dead bolt functionality 30mm Backset / 47mm Overall

myLOCK Entrance

myLOCK

Privacy & Dead bolt functionality

85mm C/C / 36mm Privacy C/C

30mm Backset / 47mm Overall

39211 PSS See Page 64/65

49211 sss for all Features

Rebate Kit Available x9220

& benefits

Integrated Roller

59211 <u>мв</u>

59285 мв

See Page 64/65 for all Features & benefits



### **Entrance Roller Lock**

Roller Latching Function Front Adjustable Roller Tension

49204 SSS 59204 мв

Rebate Kit Available x9220



#### Entrance Lever Lock

Lever Latching Function with retractable latch by cylinder 85mm C/C

30mm Backset / 47mm Overall

59201 MB

25mm Backset

Rebate Kit Available x9210









# Door Handles, Passage, Privacy & Entrance Sets





# **Lever Handles**

















SSS

SSS

SSS

SSS

To Order МВ

### Material: P.20 - 316 Stainless Steel P.21 - Forged Solid Brass

#### Reference:

20

All In One Includes
Integrated Privacy Option














42300

42329 - Passage

42329P - Privacy





### Accessories



Passage Door Latch

60mm Back Set 9031 29031 39031 49031 59031 69031 45mm Back Set 9028 29028 39028 49028 59028



Magnetic Passage Door Latch



Dummy Fixing Spindle for single side fixing installation



Spare Spindle Screws Kit 2 x Sprung spindles 2 x Tie Bolt Fixing screws

### **Backing Cover Plates**


Sit behind back plate and covers pre drilled holes in the door (63mm)







22



Round Plate Square Plate PVD CP SC MB 19816 39816 49816 59816

### **Adaptor Cover Plates**

Multipurpose "Slip Over" auSTYLE passage sets to cover pre-existing holes in the door.





M mvLock p.65 A 47.6mm euro cyl hole p.68

SC MB 43566 53566



E 85mm euro cyl hole p68

L Oval cyl

### THE AUSTYLE **DIFFERENCE IS AS SIMPLE AS** 1-2-3

The Ball Bearing mechanism is the invisible hero of a friction free operation.

The Stainless Steel ball bearing mechanism promotes smooth mechanical operation, durability and longevity.

The Ball Bearing mechanism accompanies a four hour fire rating (Australian Standard # AS1530.4-1997 and BS476.)

Contact one of our distributors to touch and feel the auSTYLE lever handle difference in store.



# **DDA Compliant Lever Handles**



### **DDA Compliant**

For buildings used for the provision of a service or employment, the Disability Discrimination Act 2005 (DDA) gives disabled people important rights of access to everyday services.

Concealed screw head for tamper proof, high security fixing.





















53665 Passage Set 53665E Entrance Sete Set



















Lever Passage Set with Square Plate SSS



Lever Passage Set with Square Plate



Lever Passage Set with Square Plate SC



MB

# **Entrance and Passage**

















To Order МВ

#### Material:

316 Marine Grade Stainless Steel

#### Long Plates: 228x32mm

58mm Projection Concealed Screw Head For

#### Passage Sets

52mm Diam/Square

Tamper Proof Fixing

#### Options:

Passage Entrance Inverted Lever

myLOCK ®

#### Reference:

E Entrance 85mm Locks

L Reversed Lever

M myLOCK ® Specify LH/RH

P Privacy Bathroom Lock

#### **ENTRANCE & PASSAGE EXPLAINED**

**E** - Entrance Sets can be used with all high security entrance locks @ 85mm centres. Refer security section.

#### L - Reversed lever set up.


M (1) - Entrance Set can be used conjunction with myLOCK high security entrance locks. Refer security section. For myLOCK entrance sets - please specify LH/RH handing. HANDING > the INTERNAL side (where the snib sits) needs to be specified and denoted as "LH or RH".


### myL**0**CK

#### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?












EURO CYLINDER

85mm C/C

**XXXXE** 





















BASE PRODUCT NUMBER + PUNCHING LETTER = CORRECT ITEM #

# **Entrance and Passage**















To Order

### МВ

### Material:

316 Marine Grade Stainless Steel

Long Plates: 228x32mm

58mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets:

52mm Diam/Square

Options:

. Passage Entrance Inverted Lever myLOCK ®

#### Reference:

- E Entrance 85mm Locks
- L Reversed Lever
- M myLOCK ® Specify LH/RH
- P Privacy

### myL**0**CK

#### DETERMINING THE HANDING

Standing on the INSIDE and facing the door... Which way is the lever pointing?













42320 Lever Passage Set / Privacy Option Passage Set: Privacy Set:

42329 Square Adaptor Plate








Lever Passage Set / Privacy Option



Passage Set: Privacy Set: 42314 + 42329 42314 + 42329P

42329 Square Adaptor Plate







43658 Lever Passage Set / Privacy Option



Passage Set: Privacy Set: 

316 SSS

43659 Square Adaptor Plate



43618 53618 Passage Entrance 43618E 53618E Privacy 43618P 53618P Skeleton Key 43618K 53618K myLOCK @ 43618M 53618M



# **Entrance and Passage**













To Orde



#### Material:

316 Marine Grade Stainless Steel

Long Plates: 228x32.2mm 58mm Projection Concealed Screw Head For Tamper Proof Fixing

Passage Sets: 52mm Round/Square

#### Options::


- E Entrance
- L Reversed Lever
- M myLOCK ®
- P Privacy Bathroom Lock

### myL**0**CK

### DETERMINING THE HANDING


Standing on the INSIDE and facing the door... Which way is the lever pointing?























### **DDA Compliant**

For buildings used for the provision of a service or employment, the Disability Discrimination Act 2005 (DDA) gives disabled people important rights of access to everyday services.

### Passage Door Latch



"T" Striker: 60mm Latch 49017 / 45mm Backset 49028 "D" Striker: 60mm Latch 49031

All 52mm ROUND lever sets already come with a multi-function
"T" striker latch which can be used for "" , "T" striker latch which can be used for either passage or privacy door applications. (including all components).



### **Escutcheon Cylinder Covers**

Concealed Fixing. Sold cast 316SS. 52mm diameter.

\$55 43704 (refer P.72 & 74 for cylinder and escutcheon cover options sold separately)



### **Integrated Privacy Kits**



49016 - Privacy Latch Only (ea)



49016 - Privacy Latch Only (ea) 49072P - Privacy Square Covers Only (pair)

All 52mm ROUND lever sets already come with a multi-function latch which can be used for either passage or privacy door applications. (including all components).

# **Entrance and Passage Sets**





www.builderschoicehardware.com.au


Material: Zinc

Long Plates: 225x32mm 55mm Projection Concealed Screw Head For **Tamper Proof Fixing** 

Passage Sets: 52mm Round 52x52mm Square

Options: Passage Entrance myLOCK ® Privacy/Bathroom Skeleton Ket





SKELETON KEY 57mm C/C XXXX**K** 









30



Available in 316 Marine Grade Satin Stainless Steel P.25

Includes both passage and privacy options all in the











All In One: Includes both passage and privacy options all in the









All In One:
Includes both passage and privacy options all in the







Visit www.builderschoicehardware.com.au to see the full range of levers available.

Quality. Value. Style.

# Minimal Lever Range















sc 43578 Passage Set



sc 43576 Passage Set



sc 43577 Passage Set



sc 43600 Passage Set cp 33600 Passage Set



sc 43603 Passage Set



sc 43605 Passage Set CP 33605 Passage Set

# **Looking for** a classical www.traditionalhardware.com.au traditionally reproduced handle without compromising on security?

### **PROJECT SERIES RANGE**

Ideal for all residential projects Adjustable 60/70mm backset latch C4 Cylinder profile to Australian standards 64x64mm Backplates 55mm Projection





43561E Entrance Lock Set




43561P Bathroom Privacy Set



43561 Passage Set







49252 Dead Bolt Double SC Cylinder Entrance



49253 Dead Bolt Single Schlinder/Turn Snib



49250 Dead Bolt Double SC Cylinder Entrance




49251 Dead Bolt Single SC Cylinder/Turn Snib



Visit www.builderschoicehardware.com.au to see the full range of levers available.

Quality. Value. Style.




Feature Entrance Handles

# **Timber Entrance Handles**






Pair back-to-back Timber Grain / Satin SS legs



- A 1000mm
- B 1100mm
- C 43mm D 116mm

Fixing Screws: M8 Fitting Holes: 10mm diameter

43862 Pair back-to-back Solid Oak




400mm 800mm 60mm 81mm

Fixing Screws: M8 Fitting Holes: 10mm diameter













3944 - 600mm

Black butt hardwood timber handles are supplied as raw unfinished timber allowing you the option to stain, varnish or clear coat the timber to achieve and compliment your desired styling theme.

# Iron Entrance Handles







<u>мв</u> 53958

A 612mm 660mm C 8x40mm

D 80mm Projection

FittingHoles:10mmdiameter


Fixing Screws: M8

Pair back-to-back Rustic - Black Textured













D Projection 54mm

# Solid Cast 304 Entrance Handles




















B 400mm C 24 x Offset 84mm D 82mm Fixing Screws: M8 Fitting Holes: 10mm diameter

Manufactured by Solid Investment Casting 304 Stainless Steel Each pair weights 6kgs









### Sliding Or Barn Door Integrated Square Pull Handle & Flush Pull Set

304 \$55 43837 53837

42

















To Order	To Order	To Order MB	COP	PSS	316 SSS		Α	В	С	D
		53885			43885	Single	300	275	25x50	65
		53886		33886	43886	Pair back-to-back	300	275	25x50	65
		53887		33887	43887	Single	500	475	25x50	65
		53888	63888	33888	43888	Pair back-to-back	500	475	25x50	65
		53890			43890	Pair back-to-back	800	775	25x50	65
		53890C			43890C	Pair back-to-back	1800	1775	25x50	65




Matching Snib & Escutcheon Cover Plates for your feature entrance door to maintain uniformity through out your home.



Used in conjunction with myLOCK entrance security locks and cylinders.

(Refer Security section).







# Aluminium











#### 125mm Offset

- 210mm
- 250mm 35 x Offset 125mm 61mm

#### 125mm Offset

- 210mm
- 250mm 38 x Offsert 125mm
- 61mm


# Glass













- 495mm 550mm 12x55mm
- A B C D 54mm

43934 Pair back-to-back Tempered Clear Glass




- 495mm 550mm 12x55mm
- 54mm

43931 Single Tempered Clear Glass



- 100mm 170x170mm 15mm A B C D
- 55mm


43932 Pair back-to-back Tempered Clear Glass



- 100mm 170x170mm 15mm 55mm







D 70mm

Fixing Screws: M8 & M6 Fitting Holes: 10mm diameter

 PVD
 RED
 MB

 13972
 63972
 53972








53702 52mm Round Escutcheon 59144 Double Cylinder 65mm





### Linear Entrance Pull Handle Heavy Duty back to back thru fixing

A - Overalll Length B - Centres C - Screw Fixing Centres D - Blade



316 SSS		Α	В	C	D
43816	Pair back-to-back	300	250	20x10	60
43817	Single	600	400	30x15	80
43818	Pair back-to-back	600	400	30x15	80
/ <sub>1</sub> Z020	Pair hack-to-hack	900	700	30v15	80

Other Finishes available as a special order:

MB WH MO PVD SSS PSS



Circular Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts

300mm Diam

53994 MB 93994 SB





Half Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts

300mm diam. 500mm diam. (Pictured)

53992 <u>MB</u> 93992 <u>SB</u> 53993 93993










"C" Semi Circle Entry Pull Handle Concealed Fix Includes 80mm Fixing Bolts 300mm diam.

53991 93991






50










#### 316 STAINLESS STEEL

### Slim Design







Square Design



							D		
316 SSS		Α	В	C	D				
43854	Pair back-to-back	450	425	25x25	66	ĺ			1
43855	Pair back-to-back	600	575	25x25	66	,			
43856	Pair back-to-back	1000	975	25x25	66				
МВ		Α	В	C	D			В	1
53854	Pair back-to-back	450	425	25x25	66				
53855	Pair back-to-back	600	575	25x25	66				
53856	Pair back-to-back	1000	975	25x25	66				
Other Fir	niahaa (Cinaa ayailah).		م امنمه	rdo.					
PSS W	nishes/Sizes available	e as a sp	eciai u	ruer:		ţ	<b>∜</b>		
_									
							С		








 316 \$55\$
 A
 B
 C
 D


 43910
 Pairback-to-back
 600
 575
 45
 75





Satin Centre / Polished Ends

316 SSS A B C D 43916 Pairback-to-back 600 575 45 68










### **Bowed Pull**

43869 Single 43870 Pairback-to-back 300 150 25 72 43874 Pairback-to-back 600 400 32 96

Other Finishes/Sizes available as a special order:

MB WH MO PVD PSS






### Linear Tube

Other Finishes/Sizes available as a special order:

PSS WH MO PVD



52








### Ergonomic Pull

43846 Pairback-to-back 450 300 32 78 43848 Pairback-to-back 600 300 32 78 43850 Pairback-to-back 900 600 38 78 43852 Pairback-to-back 1200 900 38 78

Other Finishes/Sizes available as a special order:







### Standard "D" Pull

43881 Single 350 325 25 74 43882 Pairback-to-back 350 325 25 70 43883 Single 600 562 38 90 43884 Pairback-to-back 600 562 38 90

Other Finishes/Sizes available as a special order:

MB WH MO PVD PSS











### Offset "D" Pull

MB WH MO PVD PSS








#### Offset Tube Pull

Offset 100mm

316 SSS		Α	В	С	
43921	Single	350	220	32	
43922	Pair back-to-back	350	220	32	
43924	Pair back-to-back	600	400	32	

Other Finishes/Sizes available as a special order:
















56





### Tapered Design





















# Slim Offset Design

316 SSS	Α	В	С	D	E	F
43960	450	425	100	50	30x15	30>

 MB
 53960
 450
 425
 100
 50
 30x15
 30x30



austyle.com.au 57

PVD WH MO

# Aluminium



### Blade Sliding Door Handle

Pair back-to-back


43940 450 420 40x15

53940

93940

Other Finishes/Sizes available as a special order:

PVD WH MO






# Blade Pull Handle Pair back-to-back <u>мв</u> 53936 SB 93936 Other Finishes/Sizes available as a special order: MO WH PSS


# **Solid Brass**





# Single Square Pull Handle Heavy duty thru fixing








# Pull Handle Accessories

## Magnetic Door Catch



Earth magnets recessed into the frame and door hold the door firmly and securely in the closed position.

### Roller Catch Latch



Roller Latch assists to hold the door firmly and securely in the closed position.

# Pull Handle Fixing Legs

DIY Fixing legs accessory can be attached to timber or aluminium handles



58

# Sliding Door - Integrated Flush Pull & Handle



STAINLESS STEEL



DURABLE

SECURITY



INTEGRATED PRIVACY OPTION



INDEPENDENT INTEGRATED KEYLESS SNIB LOCK CAM OPERATION



myLOCK



# myL**0**CK


Integrated Sliding Door Entrance Lock Privacy & Dead Bolt Functionality


30mm Backset / 47mm Overall

49285 \$\$\$ 59285 MB

#### Striker Plate Options Included

- Fixings suit aluminium & timber 40mm+ doors.
- Flush and face fix





#### 180x26mm

1x Boxed Elevated Finishing Striker

#### 180x22mm:

1x Flat Finishing Striker 2x 2mm Packing Plates

1x 1mm Packing Plate



#### **Rectangle Escutcheon Cover**

**Concealed Fixing** 304 Stainless Steel 70x30x9mm







### myLOCK Integrated Flush Pull & Handle

Back to back fixing Integrated keyless privacy & high security dead lock

Flush Pull: 295x40mm (C/C 275mm) Full Handle: 25x25x300mm (C/C 275mm)

43967 ≌ 53967 MB





### myLOCK Integrated Flush Pull & Slim Linear Handle

Back to back fixing Integrated keyless privacy & high security dead lock

Flush Pull: 295x40mm (C/C 275mm) Full Handle: 30x15x305mm (C/C 275mm)

43969 \$\$\$ 53969 MB





### myLOCK Integrated Back To Back Flush Pull Set

Back to back concealed fixing Concealed External Fixing Integrated keyless privacy & high security dead lock

Flush Pull: 295x40mm (C/C 275mm)

43756 ≌ 53756 MB









# Security

# myL**0**CK

### **ALL IN ONE Integrated Security:** ROLLER LATCH, PRIVACY and DEAD BOLT.

Upgrade & Improve Your Entrance Security Without Changing Your Door. The new stainless steel body is designed to retro fit into the cavity of 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.

**Keyless Locking** 

High Security Dead Bolt

Independent CAM Cylinder &

The independent CAM cylinder allows

you to leave your key in the cylinder while

still allowing its use from the outside of

Integrated keylock

#### 304 Stainless Steel

The casing, privacy & dead bolts, roller latch, spindlefollower,internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability.

#### The Indicator Snib

The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked

Adjustable SS Heavy Duty Roller Latch After installation from the front of the roller latch; easily adjust the spring tension and projection of the roller to suit your desired opening tension.

suits austyle independent CAM cylinders only



















Using the snib when home will prevent anyone opening the door

and walking in. It's a quick and simple locking function for every

Engage the dead bolt for the ultimate level of security when

you're out of the house or away on holiday. A solid 304SS bolt

that is 40mm high and 10mm thick and extends 85mm across the

door jamb and back into the case will give you security and piece

day use and works independently of the dead bolt.



myLOCK Roller Lock

	60mm Backset	30mm Backset	Rebate Kit Option	Spare Parts 60mm
PVD	19217		19220	19827
ATQ	29217		29220	29827
PSS	39217		39220	39827
SSS	49217	49214	49220	49827
MB	59217	59214	59220	59827
COP	69217			69827

# **HOW TO ORDER**

The 4 step process helps you combine the Roller Lock with the appropriate auStyle product to create a modern, clean entrance feature.

### STEP 1

Choose myL**0**CK Roller Lock x9217 or x9214

Add rebate kit if needed



64

Choose Your

**Entrance** Handle



See Feature Pull Handles P.37

### STEP 2



See Security Secion P.75

STEP 3

Choose

Your Snib

Escutcheon

Design

### STEP 4

Choose Your Cylinder Type

Requires a double cylinder



suits austyle independent CAM cylinders only cylinders only
Cylinders P.72

# myL**0**CK

### **ALL IN ONE Integrated Security:** LEVER LATCH, PRIVACY and DEAD BOLT.

Upgrade & Improve Your Entrance Security Without Changing Your Door. The new stainless steel body is designed to retro fit into the cavity of 85mm entrance mortice locks. Upgrade the security in your home without the need to change your door.

#### 304 Stainless Steel

The casing, privacy & dead bolts, latch, spindle follower, internal components, face plates and striker plates are manufactured in 304 high grade stainless steel for superior durability

#### The Indicator Snib

The direction of the snib provides a visual reference to indicate whether the privacy bolt (and the door) is in the locked or unlocked

#### Quick Release Escape Function

Using the lever handle to open the door automaticallydisengagestheprivacyboltfora quick keyless exit.

2 Hour Fire Tested Lock 2 Hour Fire Rated Cylinders

#### **Keyless Locking**

Using the snib when home will prevent anyone opening the door and walking in. It's a quick and simple locking function for every day use and works independently of the dead bolt.

#### High Security Dead Bolt

Engage the dead bolt for the ultimate level of security when you're out of the house or away on holiday. A solid 304SS bolt that is 40mm high and 10mm thick and extends 85mm across the door jamb and back into the case will give you security and piece

#### Independent CAM Cylinder & Integrated keylock

The independent CAM cylinder allows you to leave your key in the cylinder while still allowing its use from the outside of the door. Using your key to enter will simultaneously disengage both the privacy and dead bolt so you can enter in auSTYLE.



myLOCK Lever Lock

	60mm Backset	30mm Backset	Rebate Kit Option	Face/Strike Spare Part 60mm
PVD	19219	19211	19220	19828
ATQ	29219		29220	29828
PSS	39219	39211	39220	39828
SSS	49219	49211	49220	49828
MB	59219	59211	59220	59828
COP	69219			69828

# **HOW TO ORDER**

The 3 step process helps you combine the Lever Lock with the appropriate auStyle handle set to create a modern, clean entrance feature.

### STEP 1

Choose myL**0**CK Latch Lock x9219 or x9211

Add rebate kit if needed



### STEP 2

Choose Your Entrance Lever

DETERMINING THE HANDING Standing on the INSIDE and facing the door... Which way is the lever pointing?



See Door Handles Section P.19

### STEP 3

Choose Your Cylinder Type

Requires a double cylinder



suits austyle independent CAM cylinders only Cylinders P.72



## **Multi Function Entrance Lock ALL IN ONE** 4 Modes of Operation



# **Entrance Lock** With Full Escape Function

Internal: Lever Handle retracts the latch and bolt simultaneously for emergency exit.

External: Lever Handle operates the latch to enter. Use a key to un/lock the bolt.



### **Entrance Lock** Non-Escape **Function**

Internal: Lever Handle operates the latch to exit. Use a key to un/lock the bolt.

External: Lever Handle operates the latch to enter. Use a key to un/lock the bolt.





ELECTRIC STRIKER COMPATIBLE



304 STAINLESS STEEL







### Fire Escape or **Electric Strike Function**

Fire Door Exit Compliance Electric Strike Compatible

Disable the bolt so only the dead latch escape option is enabled.

Internal: Lever handle retracts the latch for emergency exit. External: Use a key to retract the latch.



### Passage Latch Function

Disable the bolt and escape function so the lock operates as a passage door latch.





LATCHING STRIKER OPTION INCLUDED





### QuadLock Escape Lock 60mm Back set 47.6mm C/C 4 Modes Of Operation

QuadLock Escape Lock 30mm Back set 85mm C/C 4 Modes Of Operation



	60mm Backset	Rebate Kit Option 60mm	Face/Striker Spare Parts 60mm	30mr Backse
PVD	19300	19304	19825	19311
ATQ	29300	29304		
PSS	39300	39304	39825	39311
SSS	49300	49304	49825	49311
МВ	59300	59304	59825	59311
Reb				



Flat Latch Striker Plate Option Included with both Escape Locks



# Security Locks Hinged Doors



Extended

Striker Plates

Generic Extension Striker 100x25mm

SSS 49839









Designed and Engineered in Australia

Heavy duty case and internal mechanical components.

Non combustible components

# **Residential Security Locks**

Simultaneously retracts latch when unlocking the door for a quick exit

Reversible latch for either LH / RH opening doors



	45mm Backset	60mm Backset	Rebate Optio
PB	9208	9209	19210
PSS	39208	39209	39210
SSS	49208	49209	49210
МВ	59208	59209	59210

# QuadLock













### Commercial Dead Latching Locks

Fire Door Exit Compliance when installed & used in dead latching mode Electric Strike Compatible when installed & used in dead latching mode Simultaineously retracts latch (and bolt) when unlocking the door for a

Reversible latch for either LH / RH opening doors

#### 47.6mm C/C



	60mm Backset	Rebate Kit Option 60mm	Face/Striker Spare Parts 60mm	
PVD	19300	19304	19825	
ATQ	29300	29304		
PSS	39300	39304	39825	
SSS	49300	49304	49825	
MB	59300	59304	59825	



	Backset	Option
SSS	49301	4930

### Commercial Narrow Back Set

85mm C/C







	25mm Backset	30mm Backset	Rebate Kit Option
SSS	49200	49201	49210
MB	59200	59201	59210















#### Suits Roller Locks 49842 125mm - 60mm Extension Lip

Suits All 85mm Locks

59840 85mm - 60mm Extension Lip 59841 125mm - 60mm Extension Lip


49840 85mm - 60mm Extension Lip

49841 125mm - 60mm Extension Lip

Suits Roller Locks 59842 125mm - 60mm Extension Lip

### **Metal Frame** Flush Fixings

Flush Fix Mounting Tabs Enable Locks To Be Flush Fixed Into Metal Frame Doors.







### WHY ARE AUSTYLE 304 STAINLESS STEEL **SECURITY LOCKS BETTER?**

Simply put, stainless steel offers significantly better durability and strength when compared with commonly available zinc or steel structured locks. Stainless steel contains higher levels of nickle providing superior corrosive resistance. Our locks are ideal for heavy duty, commercial applications and whenever superior quality and reliability is a significant consideration.







## Roller Latch Entrance Security





#### Roller Latch & dead bolt - Timber Doors

Adjustable roller spring tension

Supplied with both LH and RH striker plates

Used in conjunction with entry handles, cylinders and escutcheons





#### Roller Latch & dead bolt - Aluminium Doors

Fromt adjustable roller spring tension Heavy duty aluminium or timber door commercial applications Supplied with both LH and RH striker plates



## Self Latching Snib Latches

#### **Sliding Doors**

SSS MB 49206

59206

Ideal for all Aluminium or timber self closing/ latching sliding doors

Residental or commercial applications

49207

59207

49210

59210



Disabled & Child safety latch Install at 1800mm from floor to prevent children opening doors



PVD 19027 PSS 39027 SSS 49027 **мв** 59027

#### **Hinged Doors**

Ideal for all self closing/latching hinged doors Residental or commercial applications



Disabled & Child safety latch Installat1800mmfromfloortopreventchildren opening doors



Includes 2 snibs 40mm diameter / 60mm Backset

PSS 39018 SSS 49018

## Sliding Doors Security



**Entrance Dead** 


Bolt 304SS

### Sliding Cavity Door Lock

myL**0**CK Designed and Engineered in Australia Integrated Keyless Privcy and High Security Dead Bolt Functionality. Heavy duty case and internal mechanical components. Stainless Steel Non-combustible Non combustible components Heavy duty steel striker plate for additional strength and security Solid stainless steel Bolt and Latching Mechanism 45mm back set 30mm back set



	Euro Cylinder	5 Lever Skeleton Key
PB	9087	9084
ATQ		29084 Plated to order
PSS		39084 Plated to order
SSS	49087	49084 Plated to order
МВ	59087	59084 Plated to order



# Heavy duty steel backing plate for additional strength and security Suitable for either LH or RH opening doors (49143 cylinder / 43702 escutcheon sold separately) 60mm back set



## Door Edge Pull

Use the edge pull to retrieve the door from its cavity.



80x22mm



## **Integrated Flush Pull** for entrance sliding doors



**Sliding Door Lock** 


\$\$\$ 49087 MB 59087

70

## **Security Cylinders**

## **Keyed Cylinder Barrels**















## Turn Snib & Key Cylinder Barrels

100mm & 120mm Double




n 65mm 5 Pin	70mm 5 Pin
- 19145	-
11 9145	-
- 29145	
1 39145	-
49145	49149
1 59145	59149
	5 Pin Cyl. & Turn - 19145 41 9145 - 29145 41 39145 41 49145



## **Euro Profile Privacy Adapter**

Use the adaptor to convert any of the high security locks to use with privacy snibs for low security privacy or bathroom door applications. Refer page 77 for all available snib styles.





## **Key Blanks**



## Passage Door Latches





### Passage Latch heavy duty "D" Strike



	Single Spring	Double Spring
PB	9031	9030
ATQ	29031	29030
CP	39031	39030
SC	49031	49030
МВ	59031	59030
COP	69031	

### Separate Rebate adaptor kit



Suits Austyle Latches & Privacy Bolts

#### Passage Latch "T" Striker

Split Follower



	45mm Single Spring	60mm Single Spring
РВ	9028	-
ATQ	-	-
CP	39028	-
SC	49028	49028
MB	59028	-

### Magnetic Latch for a clean door edge



50mm Backset The magnet ejects matically with the operation of the handle. Includes box striker for a

neat professional fiinish

60mm Depth

# Passage Door Catches (SS) STANDES STREET

### Roller Catch Latch




Roller Latch assists to hold the door firmly and securely in the closed position.

<u>CP</u> 39026

sc 49026

<u>мв</u> 59026

## Magnetic Door Catch



Earth magnets recessed into the frame and door hold the door firmly and securely in the closed position.

<u>sc</u> 43732

**TIP:** Highly Recommended for use on all pivot or hinged doors where a roller lock is installed to assist in holding the door firmly in position.

#### Ball Catch/Latch





Ball catch assists to hold the door firmly and securely in the closed position.

<u>CP</u> 33731

<u>sc</u> 43731

## Escutcheon Covers











Square Oval Profile



Square Euro Profile 52x52mm 8mm Projection Concealed Fix MB 53538



Square Edge

ATQ CP SC MB

3702

23702

33702

43702

53702

83702

93733

Square Edge

3701

23701

33701

43701

53701

83701

Rectangle Concealed



WH 83724

Square Edge

8mm Projection

3700

33700

43700

53700

83700



Oval Concealed 9mm Projection





	Square 40x40mm Projection
PB	3726
ATQ	23726
CP	33726
SC	43726
МВ	53726

83726

Rounded

Edge



316 SSS 43704

Blank

52mm

Concealing Cover

8mm Projection

CP 33709 SC 43709 MB 53709

Square Edge

45mm 40mm

43706 43705

53706 53705

13706

33706

WH 83707 83706 83705

52mm

PVD 13707

CP 33707

<u>sc</u> 43707

MB 53707

Oval Cyl.

13705

33705







Square Oval Cyl. 50x50mm 8mm Projection sc 43537 MB 53537



,	UVal Cyl. 8mm Projection		
	į	52mm	
	PVD	13708	
	CP	33708	
	SC	43708	
	МВ	53708	
	WH	83708	

Round Edge

## Finishing Options: Integrated "Keyless" Snib & Escutcheon



Create a clean minimal entrance using a snib & escutcheon set to operate high security locks for front/external

The snib operates the lock in the same way a conventional lever handle functions, opening the door from the inside

Externally, use a key to simultaneously retract the latch and open the door.

Simple. Practical daily functionality.





#### Snib & Escutcheon Sets

304 Stainless Steel Plates. 145x40mm. Includes external escutcheon plate. Cylinders sold separately p.72.





Round Integrated Snib Set myLOCK























## **Bathroom Locking Options**

## **Recessed Cavity Sliding Door Options**

Ideally used in situations where the cavity door recesses all the way back inside the door frame. These flush pulls are recessed into the door face allowing the door to fully recess into its cavity. Matching flush pulls for lockable and passage doors available on page 41 for asthetic consistency.

#### Integrated privacy flush pull



59038 & 59033

Non-Recessed snibs Recessed flush turn snibs



Refer opposite page for all snib style options Locating pin guides the door into its correct position when closing.

39033 49033

59033

Sliding Door Latch	Concealed Fix Flush Turn			
53mm Overall 37mm C/C	<b>Snib Set</b> Omm Diam	-		
9033	9040	PVD		
29033	29040	ATQ		
39033	39040	CP		
40077	40040	22		

59040

МВ



Integrated Flush Sliding Door Pull & Latch Set Latch (Only) mm Overall 49041

59041

Includes	80n	
304 SSS	43754P	
МВ	53754P	

### Bathroom







	Flush	Flush
	Pull	Latch Pull
PB	9049	9050
ATQ	29049	29050
CP	39049	39050
SC	49049	49050
МВ	59049	59050



#### FEATURES:

- Entrance, Privacy & Passage Functions
- Suitable for 35-45mm door thickness
- Solid diecast construction 178x38mm
- Includes door edge finger pull
- Adjustible striker plate
- Integrated emergency release
- 3 Keys included (entrance)
- Includes fixing instructions
- Finishes: Black; Satin Nickel; Satin Brass
- Passage Doors 43757-SN 53757-Black 93757-Satin Brass
- Privacy Doors 43758-SN 53758-Black 93758-Satin Brass Entrance Doors 43759-SN 53759-Black 93759-Satin Brass



Reverse Side

colour indicator & emergency release









Reverse Side colour indicator & emergency release

## **Hinged Bathroom Door Options**

9032 PVD 29032 ATO 39032 PSS

49032 SSS 59032 MB

69032 COP









Used in conjunction with all snib options below.

### **Privacy Snib Styles**

Ideal for hinged or sliding doors / concealed & thru fix options / Ideal for semi-recessed sliding doors

#### **Bathroom Indicator Bolts**





sc 49014

PB 9037 CP 39037 SC 49037

**мв** 59037

Rectangle Semi Conceald Fix 42x25mm





Square Concealed Fix

Round Concealed

Conceald Fix

50mm diam.

sc 43531CL

MB 53531CL

Round

36m Diam. PB 9038

ATQ 29038 CP 39038 sc 49038

**MB** 59038

Thru Fixing

PB 9034

ATQ 29034

<u>CP</u> 39034 sc 49034

**мв** 59034

sc 49045

мв 59045

40x25m Diam.

Rectangle Snib Set

**Square Double Snib Set** 

Concealed Fixing

CP 9046 SC 49046 **мв** 59046









Conceald Fix 50x50mm sc 43531CL

MB 53531CL



#### Ideal for cavity sliding doors



PB 9040 CP 39040 SC 49040







Round Snib Set Thru Fixing 45m Diam.

PB 9035 ATQ 29035 CP 39035 SC 49035

<u>мв</u> 59035



#### **Round Double Snib Set**

Concealed Fixing

PB 9044 CP 39044 sc 49044 **MB** 59044





# Flush Pulls

## Flush Pulls



304 STAINLESS STEEL

Ideal for all bi-fold Sliding or cavity doors



70x70mm 50x50mm 12mm Depth 304 SSS 43750 43751

<u>мв</u> 53750



70x70mm





90mm Diam.

304 SSS 43743 MB 53743

53751



65mm Diam. 304 SSS 43741 MB 53741







Used in conjunction with passage latch (x9031) and most 60mm backset locks. 43746 мв 53746



PSS 33747 304 SSS 43747 MB 53747

45x63mm

Longer architectural sizes assist to accentuate the height of the door and room. Ideal for timber or aluminium doors. 12mm Depth 304 \$S\$ 43749 MB 53749 PSS 33745 304 SSS 43745 MB 53745 304 SSS 43753 304 SSS 43752 MB 53752 MB 53753 WH 83749 SB 93749





 $_{\mbox{\scriptsize STAINLESS STEEL}}^{\mbox{\scriptsize 304}}$  Concealed fixing with an internal finger grip

PSS 33745 304 SSS 43745 MB 53745

220x55mm 12mm Depth

304 SSS 43752 MB 53752

304 SSS 43749 MB 53749 SB 93749

320x55mm 12mm Depth

304 \$S\$ 43753 MB 53753













#### NARROW (35mm) SLIM LINE FLUSH PULL

Concealed grub screw fixing Moulded Solid 304SS without internal edges



#### DOOR EDGE PULL HANDLE

Ideal for heavier doors, the integrated ergonomic handle will assist in retrieving the door from its cavity.



#### DOOR EDGE PULL

Use the edge pull to retrieve the door from its cavity. Concealed Fixing 80x23mm 40mm Pull sss 44455





# Joinery Handles

# Joinery Handles



304 STAINLESS STEEL

High Grade 304 Solid Stainless Steel

Minimal 7.8% Nickle content for Strength, Durability and Corrosion resistance

Includes: 2 x 40mm M4 screws with snap off points



- L Overall Length C Screw Fixing Centres P Projection D Diameter

304 SSS				
Handle 1	1 - Squ	are		
	L	C	D	Р
48784	115	55	10x20	30
48785	160	100	10x20	30
48786	210	150	10x20	30
48787	260	200	10x20	30
48788	360	300	10x20	30
48789	460	400	10x20	30
48790	560	500	10x20	30
48791	660	600	10x20	30
48792	860	700	10x20	30
304				
Handle 4	/ı Doı	ınd		
Hallule .	<del>1</del> - KUI	ullu		
	L	С	D	Р
48750	L 75	C 74	D 10	P 30
48750 48751	_			-
	75	74	10	30
48751	75 107	74 98	10 10	30
48751 48753	75 107 170	74 98 171	10 10 10	30 30 30
48751 48753 48754	75 107 170	74 98 171 98	10 10 10	30 30 30 32
48751 48753 48754 48755	75 107 170 107 137	74 98 171 98 126	10 10 10 12 12	30 30 30 32 32
48751 48753 48754 48755 48756	75 107 170 107 137 170	74 98 171 98 126 159	10 10 10 12 12 12	30 30 30 32 32 32
48751 48753 48754 48755 48756 48757 48758	75 107 170 107 137 170 300	74 98 171 98 126 159 287	10 10 10 12 12 12 12	30 30 30 32 32 32 32
48751 48753 48754 48755 48756 48757 48758	75 107 170 107 137 170 300 362	74 98 171 98 126 159 287 351	10 10 10 12 12 12 12	30 30 30 32 32 32 32
48751 48753 48754 48755 48756 48757 48758	75 107 170 107 137 170 300 362	74 98 171 98 126 159 287 351	10 10 10 12 12 12 12 12	30 30 30 32 32 32 32 32 32
48751 48753 48754 48755 48756 48757 48758 304 \$	75 107 170 107 137 170 300 362	74 98 171 98 126 159 287 351	10 10 10 12 12 12 12 12 12	30 30 30 32 32 32 32 32
48751 48753 48754 48755 48756 48757 48758 304 48758 48800	75 107 170 107 137 170 300 362 8 - Sqt	74 98 171 98 126 159 287 351 C 80	10 10 10 12 12 12 12 12 12	30 30 30 32 32 32 32 32 32 32
48751 48753 48754 48755 48756 48757 48758 304 \$	75 107 170 107 137 170 300 362	74 98 171 98 126 159 287 351	10 10 10 12 12 12 12 12 12 12	30 30 30 32 32 32 32 32

304 SSS				
Handle	2 - Sqı	uare		
	L	C	D	Р
48708	113	63	12x12	40
48709	146	96	12x12	40
48711	260	210	12x12	40
48712	356	306	12x12	40
48714	452	402	12x12	40
48716	550	500	12x12	40
48717	650	600	12x12	40
48690	113	63	8x8	38
48691	146	96	8x8	38
48692	196	146	8x8	38
48693	260	210	8x8	38
48694	356	306	8x8	38
48695	452	402	8x8	38
48696	550	500	8x8	38
304 SSS				
_	-			
Handle	o L	С	D	Р
48771	152	140	8	33
48772	185 240	173	8	33
48773		218	8	33
48774	326	314	8	32
304 SSS				
Handle	9			
	L	C	D	Р
48776	108	100	10x20	30
48777	158	150	10x20	30
48778	208	200	10x20	30
48779	308	300	10x20	30
48780	408	400	10x20	30
48781	508	500	10x20	30
.5701				



SB

## Cabinet **Pull Handle** 98702 12 x 12mm x 236mm





TO ORDER MB "Ask us about Black Powder Coated Options for most handles in the range"



## **Drawer Pull Handles**

MB


TO ORDER Includes: 2 x 40mm M4 screws with snap off points



35x28mm













SSS MB 48200 58200 48201 58201 48202 58202







25x30mm 35x40mm







# Hinges

## Hinges







304 STAINLESS STEEL

#### Sold in pairs

All hinges include stainless steel/brass phillips head wood screws

M5/12mm metal thread screws available (#9900)

PVD hinges are warranted against tarnishing for 50 years. A highly polished brass finish on a durable stainless steel base provides outstanding strength, long term durability without the worry of corrosion

#### Square Knuckle Hinges



**Brass Material** 45120 100x75x2.5mm



55120 100x75x2.5mm

#### **Standard Hinges**





Brushed	l Stainless Steel	316 SSS
45316	100x75x2.5mm	Fixed Pin
45317	100x100x2.5mm	Fixed Pin
45318	100x75x2.5mm	LoosePin



**PVD Polished Brass** 15108 100x75x2.5mm Fixed Pin 15109 100x100x2.5mm Fixed Pin 15117 100x60x2mm LoosePin 15118 100x75x2.5mm LoosePin



Antique Copper 25008 100x75x2.5mm Fixed Pin







Brushed	d Stainless Steel	304 SSS
45105	85x60x2mm	Fixed Pin
45107	100x60x2mm	Fixed Pin
45108	100x75x2.5mm	Fixed Pin
45109	100x100x2.5mm	Fixed Pin
45115	85x60x2mm	LoosePir
45118	100x75x2.5mm	LoosePir



Satin Brass 95108 100x75x2.5mm Fixed Pin 95109 100x100x2.5mm Fixed Pin



Matt Bla	nck	МВ
55108	100x75x2.5mm	Fixed Pin
55109	100x100x2.5mm	Fixed Pin
55115	85x60x2mm	LoosePin
55118	100x75x2.5mm	LoosePin



Bright Polished Stainless Steel PSS 35108 100x75x2.5mm Fixed Pin 35109 100x100x2.5mm Fixed Pin 35115 85x60x2mm LoosePin 35118 100x75x2.5mm LoosePin

### Heavy Duty Broad Butt Fixed Pin Hinges

Ideally suited for "wider/long" reach or to pass a revel or extended throw M5/12mm metal thread screws available (#9900)

PVD hinges are warranted against tarnishing for 50 years.

Sold in pairs



304 SSS	
45112	100x125x3mm
45111	100x150x3mm
45110	100x175x3mm
45113	100x200x3mm



_	
35112	100x125x3mm
35111	100x150x3mm
35110	100x175x3mm



15112 100x125x3mm 100x150x3mm 100x175x3mm



55112 100x125x3mm 55111 100x150x3mm 55110 100x175x3mm

## Heavy Duty 4 Ball Bearing Hinges

Sold as Singles

45508 100x75x2.5mm

45509 100x100x2.5mm 304 SSS







35508 100x75x2.5mm

55508 100x75x2.5mm MB







#### Fast Fix Hirline Flush Hinges

No rebating required

304 SS BALL BEARING Ideal for timber or aluminium applications

M5/12mm metal thread screws available (#9900)

Heavy duty stainless steel ball bearings

PVD hinges are warranted against tarnishing for 50 years. Sold in Pairs



316 STAINLESS STEEL



45344 100x47x2.5mm



45144 100x47x2.5mm



35144 100x47x2.5mm





55144 100x47x2.5mm



45143 89x35x2mm





# Fast Fix Hirline Aluminium Hinges No rebating required

Ideal for timber or aluminium applications M5/12mm metal thread screws available (#9900)

Heavy duty stainless steel ball bearings

**Sold as Singles** 



45444 100x48x3.2mm sss



55444 100x48x3.2mm MB



## Long Body Hinges

Heavy Duty 4 Ball Bearing Butt Hinge

Extended 150mm body and 3mm thickness for additional strength. Door Weight Recommendations: 2pcs/40kgs 3pcs/60kg

**Sold as Singles** 









## Radius Hinges

Radius corners for simple & easy installation using a router. Heavy Duty 2 Ball Bearing Hinges

Door Weight Recommendations: 2pcs/40kgs 3pcs/60kg Sold in Pairs







45409 100x100x2.5mm

55408 100x75x2.5mm 55409 100x100x2.5mm

#### Universal Lift Off Hinge - All Toilet / Bathroom Doors

Used for all residential or commercial toilet/bathroom door applications

Used for either LEFT or Right handed opening doors

"Frame" and "Door" marked on the hinge to make installation simple and easy

12mm Pin for easy removal of the door

**Sold as Singles** 



45239 100x75x2.5mm sss

Lift Off Hinge

45130 89x60x2.5mm Left Hand

45131 89x60x2.5mm Right Hand



35239 100x75x2.5mm PSS




15239 100x75x2.5mm PVD




55239 100x75x2.5mm MB

Required for all domestic/commercial bathroom door installations 12mm pin length (lift off distance) for quick and easy lifting M5/12mm metal thread screws available (#9900) PVD hinges are warranted against tarnishing for 50 years. Sold in Pairs



#### Suits all domestic/commercial bathroom installations M5/12mm metal thread screws available (#9900) Sold in Pairs Fixed to Fixed to

Self Closing Rising Hinge





15130

89x60x2.5mm Left Hand

15131 89x60x2.5mm Right Hand



45134 100x75x2.5mmLeft Hand 45135 100x75x2.5mmRight Hand

92





**Door & Window Bolts** Flush Bolts Panic Bolts

## Flush, Panic, Door Window Bolts



Panic Bolt - Heavy Duty Reinforced solid saddle for additional strength Solid brass and heavy duty fixings

concedica fixing					
	225mm	300mm	300mm Offset	450mm	600mm
PB	5025	5026	5046	5027	5028
CP	35025	35026	35046	35027	35028
SC	/15025	//5026	/50/6	/ı5027	/15029



#### Lockable High Security Flush Bolt

#### 200x30mm

sc 45195


15mm Flush Bolt Depth

22mm Cylinder Recess depth

Supplied with interchangable buttons for both hinged doors or stackable sliding doors

C4 Cylinder profile can be re-keyed to match existing

Heavy Duty Solid Brass material



#### Spring Loaded Window or Door Bolt

CP 39112 40x42mm CP 39111 135x42mm

Concealed design & upgraded spring mechanism C4 cylinder key

Spring loaded bolt release 31mm Projection



Accessories

Angle & Floor Keepers

Cylindrical Ferrule Keepers

10x10mm diameter

96

For flush /barrel bolts

PB CP SC MB

#### Spring Loaded Barrel Bolt - Heavy Duty

Flat Keeper

For panic bolts

PB CP SC MB

9854 39854 49854 59854

49121 85x42mm

#### 20mm bolt throw









Spring For panic bolts

9855 - Saddles For panic bolts

PB CP SC MB



## Barrel Bolt Raised Keeper

Specify particular bolt

PB ATQ CP SC MB

#### Flat Keeper Specify particular bolt PB ATQ CP SC MB 9850 29850 39850 49850 59850

## Flush Bolts







#### Streamline Flush Mount Reverse Barrel Bolt Wide Mount - 45mm bolt throw

#### Slim Mount - 34mm holt throw

150x32mm

75x19mm

PB CP SC MB

150x19mm

12mm straight route rebate for easy installation Rolt is neatly hoved at rear Smooth Slide button operation



#### Easy Fix - Heavy Duty Flush Bolt 25mm bolt throw

PB ATQ CP SC MB 5182 25182 35182 45182 55182 PB ATQ CP SC 5183 25183 35183 45183 450x22mm

Reinforced guide behind bolt for additional strength Minimal rebate for installation Push button operation



#### Heavy Duty Barrel Bolt 25mm bolt throw

75x32mm PB ATQ CP SC MB 4267 24267 34267 44267 54267 100x32mm PB ATQ CP SC MB 4268 24268 34268 44268 54268

150x32mm PB ATQ CP SC MB

#### 50mm extended bolt throw

100x32mm PB ATQ CP SC MB 150x32mm PB ATQ CP SC MB 4264 24264 34264 44264 54264

200x32mm PB ATQ CP SC MB 4265 24265 34265 44265 54265



#### Heavy Duty Barrel Bolt - Offset Bolt 20mm bolt throw

100x32mm PB ATQ CP SC MB 4271 24271 34271 44271 54271 150x32mm PB ATQ CP SC MB 4272 24272 34272 44272 54272



#### Standard All Purpose Flush Bolt 25mm bolt throw

200x19mm

Mini: 105x19mm

Reinforced guide behind the face for additional



#### Concealed Fixing Heavy Duty Flush Bolt 34mm bolt throw

Reinforced solid saddle for additional strength





# Door Stops Door Catches

## **Door Stops**



304 STAINLESS STEEL

Includes expansion bolt & wood screw fixing options

 Black items are plated to order

Wall Mount



Floor Mount

WH

All Matt White Door Stops Are Plated To Order

#### Hands Free Foot Operated Door Pull

100x75x30mm

Counter sunk screws for a professional finish Includes rubber stop for additional protection.

43719 53719





Length: 75mm / Diameter: 17mm

PB PSS \$55 MB COP WH SB 13717 33717 43717 53717 63717 83717 93717



Floor Mounted

Heigh: 40mm / Dia: 30mm / Rubber 34mm

PSS SSS MB° 33714 43714 53714



Floor Mounted

Height: 45mm / 22x22mm PB PSS SSS MB° 3710 33710 43710 53710



Half Moon Risen/Extended Base -12mm Diameter: 45mm



Floor Mounted Square Length: 40mm

# Door Catch & Holding Mechanisms a



#### Wall Mounted

Round Tube





Wall Mounted

Length: 85mm / Diameter: 22x22mm

Floor Mounted Round Top Height: 50mm / Dia.30mm / Rubber 40mm

PSS SSS MB\* 33713 43713 53713



Floor Mounted Heavy Rubber 40mm Height: 40mm / Diam. 30mm

PB PSS SSS MB° 13715 33715 43715 53715



Half Moon Diameter: 45mm

 PB
 ATQ
 PSS
 304 SSS
 MB
 COP

 3080
 23080
 33080
 43080
 53080
 63080



Floor Mounted Triangle Diameter: 45mm



Door/Skirt Mounted Door Catch Heavy Duty Catch: 55mm - projection Base: 65mm - projection

PB CP SC 3320 33320 43320



Door/Skirt & Floor Mounted Door Catch Floor Mount Heavy Duty Catch: 32mm - projecti Base: 25x25mm

PB CP SC



Door/Skirt Mounted Door Catch Heavy Duty Catch: 38mm - projection Base: 65mm - projection

PB CP SC MB 3322 33322 43322 53322



Magnetic Catch Length: 45mm Width: 34mm



Magnetic Catch Length: 53mm Width: 34mm



Raised base for elevated catching height Length: 45mm Width: 38mm



Magnetic Catch Square Design - Floor or Wall Mounted Height: 75mm Base: 48x48mm

<u>CP</u> <u>SC</u> <u>MB</u> 33729 43729 53729



Foot Operated Door Catch Door Mounted Height/Width: 145x27mm Throw: 55mm



Door Closer with Adjustable Closing Tension Spring loaded - Modern concealed fix Height/Width: 115x30mm Recommended for internal doors

<u>sc</u> 43730





Numerals Alphabet Signage

## Numbers and Alphabet



U	14	5	45	6	/ 6	
	15	2	15	6	76	0

AAAAAECTO!

#### FONT: Arial Numbers 0-9 4891+[#0-9] 130mm 316 SSS

4892+[#0-9] 150mm 316 sss 4893+[#0-9] 225mm 316 sss

FONT: Arial Numbers 0-9

3891+[#U-9]	130mm	- 00
3892+[#0-9]	150mm	PSS

# 0123456789

#### FONT: Arial Numbers 0-9

5891+[#0-9]	130mm	МВ
5892+[#0-9]	150mm	МВ

# **ABCDEFGHIJKLM NOPQRSTUVWXYZ**

48104+[A-Z] 150mm \$\frac{304}{SSS}\$

# **ABCDEFGHIJKLM NOPQRSTUVWXYZ**

# abcdabcdabcd

48101 = b 304 \$\$\$ 48103 = d 304 \$\$\$

38101 = b PSS 38102 = c PSS 38103 = d PSS

58100 = a MB 58101 = b 58102 = c MB 58103 = d MB

## Bathroom Door Signage





#### Acrylic black bathroom signage.

150mm Height Male | Female | Disable Includes aligning template. (glue no included) MB 58130 1 Set includes three figures



#### FONT: Times New Roman Alphabet A-Z

3064+[A-Z] 3065+[A-Z]



FONT: Times New Roman Alphabet A-Z

33064+[A-Z] 75mm 33065+[A-Z] 150mm



#### Numbers 0-9

1881+[#0-9] 25mm 1882+[#0-9] 50mm 1883+[#0-9] 75mm 1885+[#0-9] 150mm



#### Numbers 0-9

PSS 3882+[#0-9] 50mm 3883+[#0-9] 75mm PSS PSS 3884+[#0-9] 100mm 3885+[#0-9] 150mm




1887+[#0-9] 75mm 1888+[#0-9] 100mm



PSS 3887+[#0-9] 75mm 3888+[#0-9] 100mm PSS



Notes:	austyle architectural ha



P +61 3 9553 3559

E info@austyle.com.au

ø

superioraustyle

6

austyle architectural hardware

## www.austyle.com.au

Service Supply & Support Since 1982



Quality is never an accident; it's the result of intention, innovation & skillful execution.